


# Reinforced Concrete Pipe - 8' Bend Dimensions



## Plan View

Tongue and Groove Joint

I.D.	Wall	O.D.	JT	Bend Length	Spigot Length	Bell Length	$\Delta=15^\circ$		$\Delta=30^\circ$		$\Delta=45^\circ$		$\Delta=60^\circ$	
							Xs	XL	Xs	XL	Xs	XL	Xs	XL
15"	2¼"	19½"	2"	96"	48"	48"	47"	49"	45"	51"	44"	52"	42"	54"
18"	2½"	23"	2¼"	96"	48"	48"	46"	50"	45"	51"	43"	53"	41"	55"
24"	3"	30"	2¾"	96"	48"	48"	46"	50"	44"	52"	42"	54"	39"	57"
30"	3½"	37"	3¼"	96"	48"	48"	46"	50"	43"	53"	40"	56"	37"	59"
36"	4"	44"	3¾"	96"	48"	48"	45"	51"	42"	54"	39"	57"	35"	61"
42"	4½"	51"	4"	96"	48"	48"	45"	51"	41"	55"	37"	59"	33"	63"
48"	5"	58"	4¼"	96"	48"	48"	44"	52"	40"	56"	36"	60"	31"	65"

### Notes:

- Pipe shall be made in accordance with ASTM C76, B wall minimum
- Class III, IV, and V meet minimum design strength required per ASTM
- Steel reinforcing cage meets typical standards



6905 South Old Bastrop Hwy  
 San Marcos Texas, 78666  
 PH: (830) 606-6200  
[capitalprecastinc.com](http://capitalprecastinc.com)

## Reinforced Concrete Pipe - 8' Bend Dimensions

Job:

Drawn:

AC

Rev:

Date:

6/5/2024